



## Agricultural Safety Chain for Towed Machines (Grade 70)

Code	Chain Size in.	Length ft.	Rated lbs.	Weight / ea. lbs.
ASC-01405	1/4	5	10,000	5.5
ASC-51605	5/16	5	15,000	8.5
ASC-03805	3/8	5	20,000	11.5
ASC-01205	1/2	5	40,000	18.5
ASC-01406	1/4	6	10,000	5.5
ASC-51606	5/16	6	15,000	8.5
ASC-03806	3/8	6	20,000	11.5
ASC-01206	1/2	6	40,000	19.5

Custom sizes available on request.



## Coil Chain - low carbon steel

Coil chains have longer links than machine chain. This product is perfect for animal tie chains, platform barriers and other similar tasks.



Straight Link								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
		Dia.	Inside Length	Inside Width				
51017	2/0 (Zinc)	.190	1.29	.32	520	200	27	Pail
51015	#4 (Zinc)	.120	1.11	.21	205	100	10	Reel
51016	2/0 (Zinc)	.190	1.29	.32	520	125	27	Reel
51018	2/0 (Zinc)	.148	1.18	.26	310	125	18	Reel



Twist Link								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
		Dia.	Inside Length	Inside Width				
51025	#3 (Bronze)	.140	1.14	.21	240	50	13	Reel

## Endweld Utility Chain - steel

A standard chain for all purpose usage except lifting.



Zinc Plated								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
		Dia.	Inside Length	Inside Width				
51030	#14	.080	0.50	0.19	75	250	5	Reel



## Machine Chain - low carbon steel

Machine chain is a short link chain used mainly where flexibility in a compact chain is required.



Straight Link								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs	Std Pack
		Dia.	Inside Length	Inside Width				
51011	#2 (Zinc)	.150	.61	.26	325	125	19	Reel
51012	#3 (Brass)	.140	.59	.24	270	80	15	Reel
51010	#4 (Zinc)	.120	.55	.21	215	100	11	Reel



Twist Link								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs	Std Pack
		Dia.	Inside Length	Inside Width				
51020	#2 (Zinc)	.150	.58	.22	310	125	20	Reel
51021	#4 (Zinc)	.120	.52	.17	200	100	13	Reel
51022	2/0 (Zinc)	.190	.73	.28	520	75	34	Reel
51063	2/0 (Zinc)	.190	.73	.28	520	150	34	Pail
53070	1/0 (Zinc)	.165	.732	.2	440	2000	28	Drum

## Passing Link Chain - low steel carbon

A general utility chain that resist kinking due to the link design.



Zinc								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs	Std Pack
		Dia.	Inside Length	Inside Width				
51035	2/0	.190	.88	.47	450	120	32	Reel
51036	2/0	.190	.88	.47	450	250	32	Pail




## Single Jack Chain - steel

Ideal chain for hanging lighting fixtures, flower pots and other domestic type light objects.



Code	Trade Size #	Dimensions in.		Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
		Dia.	Inside Length				
51038	#18 (Zinc)	.047	.39	5	200	1.7	Reel
51040	#10T (Zinc)	.125	1.86	43	150	12	Reel
51041	#12 (Zinc)	.105	.77	29	100	9	Reel
51044	#12 (Brass)	.105	.77	29	100	9	Reel
51042	#14 (Zinc)	.080	.66	16	200	5	Reel
51045	#14 (Brass)	.080	.66	16	200	5	Reel
51043	#16 (Zinc)	.062	.52	11	250	2.75	Reel
51046	#16 (Brass)	.062	.52	11	250	2.75	Reel
51047	#14 (Black)	.080	.66	16	200	5	Reel
51140	#14 (Polycoat black)	.080	.66	16	190	5	Reel
51141	#10 (Brass glo)	.135	.93	43	100	14	Reel
52049	#10T (Zinc)	.125	1.86	43	200	12	Pail
52050	#10T (Zinc)	.125	1.86	43	250	12	Pail




## Double Jack Chain - steel

Chain similar to the single jack chain with a sturdier construction.



Brass							
Code	Trade Size #	Dimensions in.		Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack.
		Dia.	Inside Length				
51075	#16 (Pl. Bronze / Brass Pl.)	.22	0.058	11	200	6	Reel

## Plastic Chain



Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std. Pack
		Dia.	Inside Length	Inside Width				
54000	#6 (1-1/2") White	.230	1.00	.30	50	130	5	Pail
54001	#6 (1-1/2") Black	.230	1.00	.30	50	130	5	Pail
54006	#6 (1-1/2") Yellow	.230	1.00	.30	50	130	5	Pail
54002	#8 (2") White	.290	1.50	.40	75	70	7	Pail
54003	#8 (2") Black	.290	1.50	.40	75	70	7	Pail
54004	#8 (2") White	.290	1.50	.40	75	60	7	Reel
54005	#8 (2") Black	.290	1.50	.40	75	60	7	Reel



## Double Loop Chain - steel

An economical utility chain used for swings, dog tie-outs, cow ties, etc...  
(also called Tenso and Lion)



Zinc								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack.
		Dia.	Inside Length	Inside Width				
51145	# 1 (Zinc)	.105	2.0	.281	155	125	8	Reel
51146	# 1/0 (Polycoat white)	.120	2.21	.312	200	100	13	Reel
51050	# 2/0 (Zinc)	.135	2.21	.340	255	75	17	Reel
51051	# 1/0 (Zinc)	.120	2.21	.312	200	200	13	Reel
51052	# 1 (Zinc)	.105	2.0	.281	155	250	8	Reel
51053	# 3 (Zinc)	.080	1.10	.187	90	200	6	Reel
51054	# 4 (Zinc)	.072	1.02	.171	70	250	5	Reel
51057	# 2 (Zinc)	.091	1.33	.16	115	200	12	Reel
51058	# 2 (Zinc)	.091	1.33	.16	115	800 (8 x 100)	12	Box
51059	# 3 (Zinc)	.080	1.10	.187	90	700	6	Pail
51062	# 3/0 (Zinc)	.148	2.17	.415	305	150	20	Pail
51064	# 1 (Zinc)	.105	2.0	.281	155	450	8	Pail
51155	# 2/0 Inco (Polycoat yellow)	.135	2.21	.340	255	200	17	Pail
52059	# 2/0 Inco (Polycoat white)	.135	2.21	.340	255	200	17	Pail
52060	# 3 (Zinc)	.080	1.10	.187	90	750	6	Pail
52146	# 2/0 Inco (Zinc)	.135	2.21	.340	255	275	17	Pail



Vinyl covered								
Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack.
		Dia.	Inside Length	Inside Width				
51055	# 1/0 (Green)	.120	2.21	.312	200	100	17	Reel
51056	# 2 (Blue)	0.091	1.33	0.167	115	125	11	Reel

## Lock Link Chain - steel

The strongest weldless chain. Provides a flat suspension surface.



Zinc							
Code	Trade Size #	Dimensions in.		Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
		Dia.	Inside Length				
51077	2/0	.140	1.48	340	50	23	Reel



## Decorative Oval Chain (Swag)



Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
		Dia.	Inside Length	Inside Width				
51005	#4 Zinc Plated	.12	.58	.21	70	90	11	Reel
51080	#10 Brass Plated	.109	1.25	.625	45	50	7	Reel
51081	#10 Black	.109	1.25	.625	45	50	7	Reel
51082	#10 Antique Silver	.109	1.25	.625	45	50	7	Reel
51083	#10 White	.109	1.25	.625	45	50	7	Reel
51084	#10 Antique Brass	.109	1.25	.625	45	50	7	Reel
51085	#10 Antique Copper	.109	1.25	.625	45	50	7	Reel
51086	#100 Bronze	.087	.63	.24	13	197	3	Reel
51087	#4 Black	.12	.58	.21	70	90	11	Reel
51127	#100 Black	.087	.63	.24	13	197	3	Reel

## Sash Chain - steel

This chain is designed to operate smoothly over pulleys, it is ideal for many applications such as hanging and suspending double hung sashes.



Zinc						
Code	Trade Size #	Thickness in.	Working Load Limit lbs.	Eack ft.	Weight / 100 ft. lbs.	Std Pack
51060	#8	.029	75	200	4	Reel
51061	#35	.035	106	100	6	Reel

## Safety Chain - brass

This flat link chain is commonly used for plumbing fixtures.



Brass						
Code	Trade Size #	Thickness in.	Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
51065	1/0	.023	35	200	2	Reel

## Furnace Chain - steel

Light duty chain.



Zinc						
Code	Trade Size #	Thickness in.	Working Load Limit lbs.	Pack ft.	Weight / 100 ft. lbs.	Std Pack
51070	#91	.023	41	250	2.5	Reel



## Electrical Fixture Chain



51039



51049

Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Length	Weight / box lbs.
		Dia.	Inside Length	Inside Width			
51039	# 10T (zinc)	.125	1.86	–	100	500' total (10 x 50')	60
51049	# 4 (zinc)	.072	1.02	.171	70	800' total (8 x 100')	40

## “S” Hook For Fixture Chain, #105



Code	Diameter in.	Inside Length in.	Pack	Master Pack	Weight / box lbs.
70929	1/8	.125	100 / bag	10 bags	14

## BEN-MOR

### *A winning Team !*

#### **2003**

St-Hyacinthe's Chamber of Commerce - Excellence in Business Awards

*Winner in the categories:*

“Customer Orientation”

“New Investment Project”

“Grand Prize of the Jury”

#### **1999**

First Prize Any Age Entrepreneur presented by the Gouvernement of Québec

#### **1998**

Winner of the Best New Exporter Award presented by the Gouvernement of Québec

#### **1997**

Winner of the Best Young Enterprise Award  
presented by St-Hyacinthe Chamber of Commerce

#### **1996**

First Prize in the Bourse Desjardin's Young Entrepreneur Award

#### **1995**

Third Prize in the Bourse Desjardin's Young Entrepreneur Award

#### **1994**

Received the Federal Bank of Development's Young Entrepreneur Award  
(Province of Québec)

#### **1993**

Received the Federal Bank of Development's Young Entrepreneur Award  
(first year in business)



### Bead Chain - steel

Code	Trade Size #	Dia. & Ins. Dim. in.	Working Load Limit lbs.	Pack ft.	Weight per 100 ft. lbs.	Std Pack.
51130	#6 Steel Nickel Plated	.125 dia.	6	100	2	Reel
51131	#10 Steel Nickel Plated	.178 dia.	12	100	3	Reel
51132	#6 Brass Bright	.125 dia.	6	100	2	Reel
51133	#10 Brass Bright	.178 dia.	12	100	3	Reel
51134	#6 Brass Nickel Plated	.125 dia.	6	100	2	Reel
51135	#10 Brass Nickel Plated	.178 dia.	12	100	3	Reel



### Bead Chain Connectors - steel

Code	Trade Size # Finish	Qty / Pack	Std Pack
55000	#6 Brass Bright	100 pcs / bag	Bag
55001	#10 Brass Bright	100 pcs / bag	Bag
55002	#6 Nickel	100 pcs / bag	Bag
55003	#10 Nickel	100 pcs / bag	Bag
55030	#6 Brass	8 pcs / card	Card
55031	#10 Nickel	8 pcs / card	Card
55004	#36 Chrome plated	6 pcs / card	Card



### Hobby / Craft Chain - steel

Code	Trade Size #	Dimensions in.			Working Load Limit lbs.	Pack ft.	Weight per 100 ft. lbs.	Std Pack
		Dia.	Inside Width	Inside Length				
51110	#3 Clock Brass Plated	.043	.300	.92	7	164	.9	Reel
51111	#5 Clock Brass Plated	.051	.315	.105	13	82	1.3	Reel
51112	#5 Clock Nickel Plated	.051	.315	.105	13	82	1.3	Reel
51113	#7 Clock Brass Plated	.063	.315	.130	18	82	1.6	Reel
51114	#7 Clock Nickel Plated	.063	.315	.130	18	82	1.6	Reel
51115	#2 Sash Chrome Plated	.043 ga	-	.532	29	164	.7	Reel
51116	#2 Sash Brass Plated	.043 ga	-	.532	29	164	.7	Reel
51117	#3 Sash Chrome Plated	.059 ga	-	.519	35	82	2.0	Reel
51118	#70 Twist Brass Plated	.047	.154	.030	15	82	2.6	Reel
51119	#90 Twist Brass Plated	.059	.260	.122	20	82	3.5	Reel
51120	#90 Twist Nickel Plated	.059	.260	.122	20	82	3.5	Reel
51121	#200 Twist Brass Plated	.079	.360	.122	29	49	4.7	Reel
51122	#200 Twist Nickel Plated	.079	.360	.122	29	49	4.7	Reel
51123	#250 Twist Brass Plated	.099	.284	.170	35	33	8.5	Reel
51124	#250 Twist Black	.099	.284	.170	35	33	8.5	Reel
51125	#19 Oval Link Brass Plated	.043	.205	.110	7	82	2.1	Reel
51126	#36 Ball Chain Chrome Plated	.142 dia.	-	-	11	164	1.6	Reel



Oval



Ball



Clock



Sash



Twist